

7000smz-2

- Nakano, T., Nakamura, Y., Irie, K., Okano, S., Morimoto, M., Yamashita, Y., ... Mishima, K. (2020). Antithrombin gamma attenuates macrophage/microglial activation and brain damage after transient focal cerebral ischemia in mice. *Life Sciences*, 252. <https://doi.org/10.1016/j.lfs.2020.117665>
- Toft-Bertelsen, T. L., Larsen, B. R., Christensen, S. K., Khandelia, H., Waagepetersen, H. S., & MacAulay, N. (2020). Clearance of activity-evoked K⁺ transients and associated glia cell swelling occur independently of AQP4: A study with an isoform-selective AQP4 inhibitor. *GLIA*. <https://doi.org/10.1002/glia.23851>
- Vicente, M. C., Humphrey, C. M., Gargaglioni, L. H., & Ostrowski, T. D. (2020). Decreased excitability of locus coeruleus neurons during hypercapnia is exaggerated in the streptozotocin-model of Alzheimer's disease. *Experimental Neurology*, 328. <https://doi.org/10.1016/j.expneurol.2020.113250>
- Vicente, M. C., Humphrey, C. M., Gargaglioni, L. H., & Ostrowski, T. D. (2020). Decreased excitability of locus coeruleus neurons during hypercapnia is exaggerated in the streptozotocin-model of Alzheimer's disease. *Experimental Neurology*, 328. <https://doi.org/10.1016/j.expneurol.2020.113250>
- Sagoshi, S., Maejima, S., Morishita, M., Takenawa, S., Otubo, A., Takanami, K., ... Ogawa, S. (2020). Detection and Characterization of Estrogen Receptor Beta Expression in the Brain with Newly Developed Transgenic Mice. *Neuroscience*, 438, 182–197. <https://doi.org/10.1016/j.neuroscience.2020.04.047>
- Reisinger, S. N., Bilban, M., Stojanovic, T., Derdak, S., Yang, J., Cicvaric, A., ... Pollak, D. D. (2020). Lmo3 deficiency in the mouse is associated with alterations in mood-related behaviors and a depression-biased amygdala transcriptome. *Psychoneuroendocrinology*, 111. <https://doi.org/10.1016/j.psyneuen.2019.104480>
- Brewer, C. L., Li, J., O'Conor, K., Serafin, E. K., & Bacsei, M. L. (2020). Neonatal injury evokes persistent deficits in dynorphin inhibitory circuits within the adult mouse superficial dorsal horn. *The Journal of Neuroscience*, JN-RM-0029-20. <https://doi.org/10.1523/jneurosci.0029-20.2020>
- Stojanovic, T., Benes, H., Awad, A., Bormann, D., & Monje, F. J. (2020). Nicotine abolishes memory-related synaptic strengthening and promotes synaptic depression in the neurogenic dentate gyrus of miR-132/212 knockout mice. *Addiction Biology*. <https://doi.org/10.1111/adb.12905>
- Gu, Z., Koppel, N., Kalamboglas, J., Alexandrou, G., Li, J., Craig, C., ... Yoshida, Y. (2020). Semaphorin-Mediated Corticospinal Axon Elimination Depends on the Activity-Induced Bax/Bak-Caspase Pathway. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 40(28), 5402–5412. <https://doi.org/10.1523/JNEUROSCI.3190-18.2020>
- Khatami, L., Safari, V., & Motamedi, F. (2020). Temporary inactivation of interpeduncular nucleus impairs long but not short term plasticity in the perforant-path dentate gyrus synapses in rats. *Behavioural Brain Research*, 377. <https://doi.org/10.1016/j.bbr.2019.112212>
- Genrikhs, E. E., Stel'mashook, E. V., Voronkov, D. N., Novikova, S. V., Alexandrova, O. P., Fedorov, A. V., & Isaev, N. K. (2020). The single intravenous administration of methylene blue after traumatic brain injury diminishes neurological deficit, blood-brain barrier disruption and decrease in the expression of S100 protein in rats. *Brain Research*, 1740. <https://doi.org/10.1016/j.brainres.2020.146854>
- Hart, E. E., Blair, G. J., O'Dell, T. J., Blair, H. T., & Izquierdo, A. (2019). Anterior cingulate cortex activity regulates effort-based decision making. *BioRxiv*, 005, 792069. <https://doi.org/10.1101/792069>
- Watson, S. A., Duff, J., Bardi, I., Zabielska, M., Atanur, S. S., Jabbour, R. J., ... Terracciano, C. M. (2019). Biomimetic electromechanical stimulation to maintain adult myocardial slices in vitro. *Nature Communications*, 10(1), 2168. <https://doi.org/10.1038/s41467-019-10175-3>



- Larsen, B. R., Stoica, A., & MacAulay, N. (2019). Developmental maturation of activity-induced K⁺ and pH transients and the associated extracellular space dynamics in the rat hippocampus. *Journal of Physiology*, 597(2), 583–597. <https://doi.org/10.1113/JP276768>
- Sánchez-Rodríguez, I., Djebari, S., Temprano-Carazo, S., Vega-Avelaira, D., Jiménez-Herrera, R., Iborra-Lázaro, G., ... Navarro-López, J. D. (2019). Hippocampal long-term synaptic depression and memory deficits induced in early amyloidopathy are prevented by enhancing G-protein-gated inwardly rectifying potassium channel activity. *Journal of Neurochemistry*. <https://doi.org/10.1111/jnc.14946>
- Brown, A. G., Thapa, M., Hooker, J. W., & Ostrowski, T. D. (2019). Impaired chemoreflex correlates with decreased c-Fos in respiratory brainstem centers of the streptozotocin-induced Alzheimer's disease rat model. *Experimental Neurology*, 311, 285–292. <https://doi.org/10.1016/j.expneurol.2018.10.012>
- Bartley, A. F., Abiraman, K., Stewart, L. T., Hossain, M. I., Gahan, D. M., Kamath, A. V., ... Dobrunz, L. E. (2019). LSO:Ce Inorganic Scintillators Are Biocompatible With Neuronal and Circuit Function. *Frontiers in Synaptic Neuroscience*, 11. <https://doi.org/10.3389/fnsyn.2019.00024>
- Pickford, J., Apps, R., & Bashir, Z. I. (2019). Muscarinic Receptor Modulation of the Cerebellar Interpositus Nucleus In Vitro. *Neurochemical Research*, 44(3), 627–635. <https://doi.org/10.1007/s11064-018-2613-9>
- Li, J., & Baccei, M. L. (2019). Neonatal Injury Alters Sensory Input and Synaptic Plasticity in GABAergic Interneurons of the Adult Mouse Dorsal Horn. *The Journal of Neuroscience*, 39(40), 7815–7825. <https://doi.org/10.1523/JNEUROSCI.0509-19.2019>
- Schappacher, K. A., Xie, W., Zhang, J. M., & Baccei, M. L. (2019). Neonatal vincristine administration modulates intrinsic neuronal excitability in the rat dorsal root ganglion and spinal dorsal horn during adolescence. *Pain*, 160(3), 645–657. <https://doi.org/10.1097/j.pain.0000000000001444>
- Ou, Q., Jacobson, Z., Abouleisa, R. R. E., Tang, X.-L., Hindi, S. M., Kumar, A., ... Mohamed, T. M. A. (2019). Physiological Biomimetic Culture System for Pig and Human Heart Slices. *Circulation Research*, 125(6), 628–642. <https://doi.org/10.1161/circresaha.119.314996>
- Díaz-García, C. M., Lahmann, C., Martínez-François, J. R., Li, B., Koveal, D., Nathwani, N., ... Yellen, G. (2019). Quantitative in vivo imaging of neuronal glucose concentrations with a genetically encoded fluorescence lifetime sensor. *Journal of Neuroscience Research*, 97(8), 946–960. <https://doi.org/10.1002/jnr.24433>
- Mohammed, U., Caine, R. S., Atkinson, J. A., Harrison, E. L., Wells, D., Chater, C. C., ... Murchie, E. H. (2019). Rice plants overexpressing OsEPF1 show reduced stomatal density and increased root cortical aerenchyma formation. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-41922-7>
- Galloni, A. R., Laffere, A., & Rancz, E. A. (2019). Apical length modulates dendritic excitability in L5 pyramidal neurons. *BioRxiv*, 754499. <https://doi.org/10.1101/754499>
- Morris, P. G., Mishina, M., & Jones, S. (2018). Altered Synaptic and Extrasynaptic NMDA Receptor Properties in Substantia Nigra Dopaminergic Neurons From Mice Lacking the GluN2D Subunit. *Frontiers in Cellular Neuroscience*, 12. <https://doi.org/10.3389/fncel.2018.00354>
- Zhao, J., Baudry, M., & Jones, S. (2018). Calpain inhibition reduces NMDA receptor rundown in rat substantia nigra dopamine neurons. *Neuropharmacology*, 137, 221–229. <https://doi.org/10.1016/j.neuropharm.2018.05.003>
- Kammel, L. G., Wei, W., Jami, S. A., Voskuhl, R. R., & O'Dell, T. J. (2018). Enhanced GABAergic Tonic Inhibition Reduces Intrinsic Excitability of Hippocampal CA1 Pyramidal Cells in Experimental Autoimmune Encephalomyelitis. *Neuroscience*, 395, 89–100. <https://doi.org/10.1016/j.neuroscience.2018.11.003>
- Brewer, C. L., & Baccei, M. L. (2018). Enhanced Postsynaptic GABA B Receptor Signaling in Adult Spinal Projection Neurons after Neonatal Injury. *Neuroscience*, 384, 329–339. <https://doi.org/10.1016/j.neuroscience.2018.05.046>



- Kawatani, M., Yamada, Y., & Kawatani, M. (2018). Glucagon-like peptide-1 (GLP-1) action in the mouse area postrema neurons. *Peptides*, 107, 68–74. <https://doi.org/10.1016/j.peptides.2018.07.010>
- Murakami, T., Enjoji, M., & Koyama, S. (2018). Leptin attenuates D 2 receptor-mediated inhibition of putative ventral tegmental area dopaminergic neurons. *Physiological Reports*, 6(7). <https://doi.org/10.14814/phy2.13631>
- Ford, N. C., Ren, D., & Baccei, M. L. (2018). NALCN channels enhance the intrinsic excitability of spinal projection neurons. *Pain*, 159(9), 1719–1730. <https://doi.org/10.1097/j.pain.00000000>
- Khodai, T., Nunn, N., Worth, A. A., Feetham, C. H., Belle, M. D. C., Piggins, H. D., & Luckman, S. M. (2018). PACAP neurons in the ventromedial hypothalamic nucleus are glucose inhibited and their selective activation induces hyperglycaemia. *Frontiers in Endocrinology*, 9(OCT). <https://doi.org/10.3389/fendo.2018.00632>
- Saylor, D. M., Craven, B. A., Chandrasekar, V., Simon, D. D., Brown, R. P., & Sussman, E. M. (2018). Predicting patient exposure to nickel released from cardiovascular devices using multi-scale modeling. *Acta Biomaterialia*, 70, 304–314. <https://doi.org/10.1016/j.actbio.2018.01.024>
- Morris, G., Brennan, G. P., Reschke, C. R., Henshall, D. C., & Schorge, S. (2018). Spared CA1 pyramidal neuron function and hippocampal performance following antisense knockdown of microRNA-134. *Epilepsia*, 59(8), 1518–1526. <https://doi.org/10.1111/epi.14475>
- Jiang, L., Wang, Y., Xu, Y., Ma, D., & Wang, M. (2018). The Transient Receptor Potential Ankyrin Type 1 Plays a Critical Role in Cortical Spreading Depression. *Neuroscience*, 382, 23–34. <https://doi.org/10.1016/j.neuroscience.2018.04.025>
- Murakami, T., Enjoji, M., & Koyama, S. (2018). Leptin attenuates D 2 receptor-mediated inhibition of putative ventral tegmental area dopaminergic neurons. *Physiological Reports*, 6(7). <https://doi.org/10.14814/phy2.13631>
- Romer, S. H., Seedle, K., Turner, S. M., Li, J., Baccei, M. L., & Crone, S. A. (2017). Accessory respiratory muscles enhance ventilation in ALS model mice and are activated by excitatory V2a neurons. *Experimental Neurology*, 287, 192–204. <https://doi.org/10.1016/j.expneurol.2016.05.033>
- Morris, G., Leite, M., Kullmann, D. M., Pavlov, I., Schorge, S., & Lignani, G. (2017). Cellular/Molecular Activity Clamp Provides Insights into Paradoxical Effects of the Anti-Seizure Drug Carbamazepine. *Soc Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.3697-16.2017>
- Perbellini, F., Liu, A. K. L., Watson, S. A., Bardi, I., Rothery, S. M., & Terracciano, C. M. (2017). Free-of-Acrylamide SDS-based Tissue Clearing (FASTClear) for three dimensional visualization of myoca
- Tae, H. S., Smith, K. M., Phillips, A. M., Boyle, K. A., Li, M., Forster, I. C., ... Reid, C. A. (2017). Gabapentin modulates HCN4 channel voltage-dependence. *Frontiers in Pharmacology*, 8(AUG). <https://doi.org/10.3389/fphar.2017.00554>
- Watson, & Samuel. (2017). Preparation of viable adult ventricular myocardial slices from large and small mammals. *Nature.Com*. <https://doi.org/10.1038/nprot.2017.139>
- Kang, C., Qiao, Y., Li, G., Baechle, K., Camelliti, P., Rentschler, S., & Efimov, I. R. (2016). Human Organotypic Cultured Cardiac Slices: New Platform For High Throughput Preclinical Human Trials. *Sc*
- Blot, A., de Solages, C., Ostojevic, S., Szapiro, G., Hakim, V., & Léna, C. (2016). Time-invariant feed-forward inhibition of Purkinje cells in the cerebellar cortex *in vivo*. *Journal of Physiology*, 594(10), 2729–2749. <https://doi.org/10.1113/JP271518>
- Hablitz, L. M., Molzof, H. E., Abrahamsson, K. E., Cooper, J. M., Prosser, R. A., Karen, X., & Gamble, L. (2015). Systems/Circuits GIRK Channels Mediate the Nonphotic Effects of Exogenous Melatonin. *Soc Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.1597-15.2015>



- Larsen, B. R., Assentoft, M., Cotrina, M. L., Hua, S. Z., Nedergaard, M., Kaila, K., ... Macaulay, N. (2014). Contributions of the Na⁺/K⁺-ATPase, NKCC1, and Kir4.1 to hippocampal K⁺ clearance and volume responses. *GLIA*, 62(4), 608–622. <https://doi.org/10.1002/glia.22629>
- Schoenberger, M., Damijonaitis, A., Zhang, Z., Nagel, D., & Trauner, D. (2014). Development of a New Photochromic Ion Channel Blocker via Azologization of Fomocaine. *ACS Publications*, 5(7), 514–518. <https://doi.org/10.1021/cn500070w>
- Yeoh, J. W., James, M. H., Graham, B. A., & Dayas, C. V. (2014). Electrophysiological characteristics of paraventricular thalamic (PVT) neurons in response to cocaine and cocaine- and amphetamine-regulated transcript (CART). *Frontiers in Behavioral Neuroscience*, 8(AUG). <https://doi.org/10.3389/fnbeh.2014.00280>
- Delerue, F., White, M., & Ittner, L. M. (2014). Inducible, tightly regulated and non-leaky neuronal gene expression in mice. *Transgenic Research*, 23(2), 225–233. <https://doi.org/10.1007/s11>
- Li, J., & Baccei, M. L. (2014). Neonatal tissue injury reduces the intrinsic excitability of adult mouse superficial dorsal horn neurons. *Neuroscience*, 256, 392–402. <https://doi.org/10.1016/j.neuroscience.2013.10.057>
- Guilmi, M. N. Di, Wang, T., Gonzalez Inchauspe, C., Forsythe, I. D., Ferrari, M. D., Van Den Maagdenberg, A. M. J. M., ... Uchitel, O. D. (2014). Neurobiology of Disease Synaptic Gain-of-Function Effects of Mutant Ca v 2.1 Channels in a Mouse Model of Familial Hemiplegic Migraine Are Due to Increased Basal [Ca²⁺] i. *Soc Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.2526-13.2014>
- Xiong, W., Chen, S. R., He, L., Cheng, K., Zhao, Y. L., Chen, H., ... Zhang, L. (2014). Presynaptic glycine receptors as a potential therapeutic target for hyperekplexia disease. *Nature Neuroscience* 17, 232-239. <https://doi.org/10.1038/nn.3615>
- Hablitz, L. M., Molzof, H. E., Paul, J. R., Johnson, R. L., & Gamble, K. L. (2014). Suprachiasmatic nucleus function and circadian entrainment are modulated by G protein-coupled inwardly rectifying (GIRK) Channels. *J. Physiol.* 592.22, 5079-5092. <https://doi.org/10.1113/jphysiol.2014.282079>
- Cameron, M. A., Suaning, G. J., Lovell, N. H., & Morley, J. W. (2013). Electrical Stimulation of Inner Retinal Neurons in Wild-Type and Retinally Degenerate (rd/rd) Mice. *PLoS ONE*, 8(7). <https://doi.org/10.1371/journal.pone.0068882>
- Wild, A. R., Akyol, E., Brothwell, S. L. C., Kimkool, P., Skepper, J. N., Gibb, A. J., & Jones, S. (2013). Memantine block depends on agonist presentation at the NMDA receptor in substantia nigra pars compacta dopamine neurones. *Neuropharmacology* 73, 138 – 146. <https://doi.org/10.1016/j.neuropharm.2013.05.013>
- Koyama, S., Kawaharada, M., Terai, H., Ohkurano, M., Mori, M., Kanamaru, S., & Hirose, S. (2013). Obesity decreases excitability of putative ventral tegmental area GABAergic neurons. *Physiological Reports* 1(5), 1-11 <https://doi.org/10.1002/phy2.126>
- Huang, S., & Uusisaari, M. Y. (2013). Physiological temperature during brain slicing enhances the quality of acute slice preparations. *Frontiers in Cellular Neuroscience*, 7. <https://www.frontiersin.org/articles/10.3389/fncel.2013.00048/full>
- Dougherty, S. E., Reeves, J. L., Lesort, M., Detloff, P. J., & Cowell, R. M. (2013). Purkinje cell dysfunction and loss in a knock-in mouse model of Huntington Disease. *Experimental Neurology*, 240(1), 96–102. <https://doi.org/10.1016/j.expneurol.2012.11.015>
- Dougherty, S. E., Reeves, J. L., Lesort, M., Detloff, P. J., & Cowell, R. M. (2013). Purkinje cell dysfunction and loss in a knock-in mouse model of Huntington Disease. *Experimental Neurology*,
- Puskarjov, M., Ahmad, F., Kaila, K., & Blaesse, P. (2012). Development/Plasticity/Repair Activity-Dependent Cleavage of the K-Cl Cotransporter KCC2 Mediated by Calcium-Activated Protease Calpain. *Soc Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.6265-11.2012>



Mewes, A., Franke, H., & Singer, D. (2012). Organotypic Brain Slice Cultures of Adult Transgenic P301S Mice-A Model for Tauopathy Studies. PLoS ONE, 7(9). <https://doi.org/10.1371/journal.pone.0045017>

5100mz

Lovelace, J. W., Rais, M., Palacios, A. R., Shuai, X. S., Bishay, S., Popa, O., ... Razak, K. A. (2019). Deletion of Fmr1 from Forebrain Excitatory Neurons Triggers Abnormal Cellular, EEG, and Behavioral Phenotypes in the Auditory Cortex of a Mouse Model of Fragile X Syndrome. Cerebral Cortex. <https://doi.org/10.1093/cercor/bhz141>

Rumaner, Horowitz, Ovadaya, & Folch. (2019). Thread as a Low-Cost Material for Microfluidic Assays on Intact Tumor Slices. Micromachines, 10(7), 481. <https://doi.org/10.3390/mi10070481>

Frischknecht, R., & Happel, M. F. K. (2016). Einfluss der Extrazellulären Matrix auf plastische Prozesse in jungen und alten GehirnenImpact of the extracellular matrix on plasticity in juvenile and adult brains. Neuroforum, 22(1), 1–9.
<https://doi.org/10.1007/s12269-015-0033-1>

Breach, M. R., Moench, K. M., & Wellman, C. L. (2019). Social instability in adolescence differentially alters dendritic morphology in the medial prefrontal cortex and its response to stress in adult male and female rats. Developmental Neurobiology. <https://doi.org/10.1002/dneu.22723>

Tu, T. H., Kim, H., Yang, S., Kim, J. K., & Kim, J. G. (2019). Linoleic acid rescues microglia inflammation triggered by saturated fatty acid. Biochemical and Biophysical Research Communications, 513(1), 201–206.
<https://doi.org/10.1016/j.bbrc.2019.03.047>

Haskett, D. G., Maestas, D., Howerton, S. J., Smith, T., Ardila, D. C., Doetschman, T., ... Vande Geest, J. P. (2016). 2-Photon Characterization of Optical Proteolytic Beacons for Imaging Changes in Matrix-Metalloprotease Activity in a Mouse Model of Aneurysm. Microscopy and Microanalysis, 22(2), 349–360.
<https://doi.org/10.1017/s1431927616000088>

Yuan, Y., & Atchison, W. D. (2019). Electrophysiological neuromethodologies. In Neuromethods (Vol. 145, pp. 209–231).
https://doi.org/10.1007/978-1-4939-9228-7_11

McCormick, B., Craig, H. E., Chu, J. Y., Carlin, L. M., Canel, M., Wollweber, F., ... Vermeren, S. (2019). A Negative Feedback Loop Regulates Integrin Inactivation and Promotes Neutrophil Recruitment to Inflammatory Sites. The Journal of Immunology, 203(6), 1579–1588. <https://doi.org/10.4049/jimmunol.1900443>

Monyer, H., Engelhardt, J. von, & Wichert, P. von. (2017). Modulation der Funktion von AMPA-Rezeptoren durch auxiliäre Proteine. E-Neuroforum, 21(2). <https://doi.org/10.1515/s12269-015-0009-1>

Rumpel, S., & Triesch, J. (2016). Das dynamische Konnektom. Neuroforum, Vol. 22, pp. 73–79.
<https://doi.org/10.1007/S12269-016-0048-2>

Shandra, O., Winemiller, A. R., Heithoff, B. P., Munoz-Ballester, C., George, K. K., Benko, M. J., ... Robel, S. (2019). Repetitive diffuse mild traumatic brain injury causes an atypical astrocyte response and spontaneous recurrent seizures. Journal of Neuroscience, 39(10), 1944–1963. <https://doi.org/10.1523/JNEUROSCI.1067-18.2018>



Reinhard, S., Rais, M., Binder, D. K., Reinhard, S. M., Afroz, S., Hanania, Y., ... Razak, K. A. (2019). Reduced perineuronal net expression in Fmr1 KO mice auditory cortex and amygdala is linked to impaired fear-associated memory Osmotherapy to Treat Severe TBI View project Does cell specific deletion of Fmr1 from forebrain excitatory neurons contribute to auditory processing deficits in Fragile-X Syndrome? View project Reduced perineuronal net expression in Fmr1 KO mice auditory cortex and amygdala is linked to impaired fear-associated memory. Article in Neurobiology of Learning and Memory. <https://doi.org/10.1016/j.nlm.2019.107042>

Chan, F., Lax, N. Z., Voss, C. M., Aldana, B. I., Whyte, S., Jenkins, A., ... Cunningham, M. O. (2019). The role of astrocytes in seizure generation: Insights from a novel in vitro seizure model based on mitochondrial dysfunction. Brain, 142(2), 391–411. <https://doi.org/10.1093/brain/awy320>

Fercoq, F., Remion, E., Frohberger, S. J., Vallarino-Lhermitte, N., Hoerauf, A., Le Quesne, J., ... Martin, C. (2019). IL-4 receptor dependent expansion of lung CD169+ macrophages in microfilaria-driven inflammation. PLOS Neglected Tropical Diseases, 13(8), e0007691. <https://doi.org/10.1371/journal.pntd.0007691>

